

## Soundproof Acoustic Sandwich Panel Heat Insulation Cladding Systems

Our Product Introduction

for more products please visit us on [baodupanel.com](http://baodupanel.com)

### Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE
- Model Number: Acoustic Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.
- Delivery Time: 15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



### Product Specification

- Product Name: Sound Proofing Acoustic Sandwich Panel Heat Insulation Cladding Systems
- Application: Warehouse, Building And Other Equipments Thermal
- Color: Customized
- Thickness: 50mm 75mm 80mm 100mm 125mm 150mm 200mm
- Steel Thickness: 0.4-0.8mm
- Warranty: More Than 50 Years
- Material: Rockwool Glasswool
- Density: 60-200kg/m<sup>3</sup>
- Fireproof: A-level
- Keyword: Sound Proofing Acoustic Sandwich Panel Heat Insulation Cladding Systems



### More Images





## Sound Proofing Acoustic Sandwich Panel Heat Insulation Cladding Systems

The acoustic sandwich panel is a great solution for sound absorption and insulation. It is fireproof, customizable, lightweight and has a high durability.

(4) Anti-corrosive effect - Glass wool is an inorganic product, therefore there is hardly any deformation or corrosion that stays for a long time. Glass wool can retain its original shape and has a really good ability to withstand shocks, pressures, or vibrations.

### TESTING DATA OF BAODU ACOUSTICAL SANDWICH PANEL

No.	REPO RT ID	G ORGAN IZATION	PRODU CT NAME	MATERIAL STRUCTURE (BOTTOM- TO-TOP)	TOTAL THICK NESS (MM)	L THIC KNES S (MM)	R O C K W O O L/ G LA META S CEM T PIN DAM	SOUND ABSOR BING DATA (NRC)	SO UN D INS ULA TIO N (Db)
-----	------------------	-----------------------	---------------------	--	--------------------------------	--------------------------------	---	---	---

measurement of airborne sound insulation of building elements;

1	KS-2021-09101	ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCES	STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE	100	0.60.5	120	/	/	38	
2	KS-2021-09102		STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.60.5	120	/	3	/	37
3	KS-2021-09103		STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE	100	0.50.5	120	10	3	/	39
4	KS-2021-09104		STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +STEEL PLATE	100	0.50.5	120	10	3	/	41
5	KS-2021-09105		STEEL PLATE +DAMPING+ROCKWOOL +DAMPING +STEEL PLATE	100	0.50.5	120	/	3	/	37
6	KS-2021-09106		STEEL PLATE +CEMENT+ROCKWOOL +DAMPING +STEEL PLATE	100	0.50.5	120	4	3	//	37
7	KS-2021-09107		STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +DAMPING +STEEL PLATE	100	0.50.5	120	4	2	/	38
8	KS-2021-09108		STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPING+STEEL PLATE	100	0.50.5	120	4	2	/	38
9	KS-2021-09109		STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE	100	0.50.5	120	/	/	/	34

TESTING STANDARD: GB/T20247-2006/iso 354:2003 Acoustics reverberation room  
sound absorption measurement

**TESTING STANDARD:**

1.: GB/T20247-2006/iso 354-2003 Acoustics reverberation room sound absorption measurement;

2. GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;

[illegible]

BAODU Acoustic Sandwich Panels are the ideal sound absorbing panels for all kinds of applications. With a steel thickness of 0.4mm to 0.8mm, our acoustic sandwich panel provides an excellent modern design style. It is soundproof and the density can be adjusted from 60-200kg/m3. The length of the panel can be customized to meet your specific needs.

BAODU Acoustic Sandwich Panels are certified CE and come with reasonable prices. The minimum order quantity can be discussed. Generally, for steel structure, we use steel frame packing to ensure the panels are not damaged during delivery.

For sandwich panels and color steel sheets, we use plastic packing. Special packing requirements can be accommodated upon request. We can supply up to 5000 square meters per day and delivery time is within 15 days. Payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

BAODU Acoustic Sandwich Panels are perfect for commercial, residential and industrial applications. Whether you want to reduce noise in your office, reduce sound from music studios, or reduce sound from heavy machinery in factories, our acoustic sandwich panel has you covered.

### **Support and Services:**

Acoustic Sandwich Panel Technical Support and Service

We offer technical support and service for Acoustic Sandwich Panel. Our team of experts can provide you with the technical expertise and guidance you need for the proper use of this product.

We provide technical advice and assistance on how to install, maintain, and repair the panel. We also provide technical support for the proper selection and use of the panel in various applications.

We have a team of professionals who are well-versed in the use of the Acoustic Sandwich Panel and can provide helpful tips and advice on how to maximize its performance. We also offer customer service to answer any questions you may have about the product.

If you would like to learn more about Acoustic Sandwich Panel or need technical support, please contact us. We look forward to helping you get the most out of your purchase.

### **Packing and Shipping:**

Acoustic Sandwich Panels are packaged and shipped securely to ensure they are not damaged during transit. The panels are placed in a box that is lined with padding to reduce the possibility of damage to the product. Bubble wrap is used to fill in any gaps in the box so that the panels stay in place. The box is then sealed with tape and labeled with the product information and shipping address. The box is then placed in another box for extra protection during shipping.

### **FAQ:**

Q1: What brand is the Acoustic Sandwich Panel?

A1: The Acoustic Sandwich Panel is from BAODU.

Q2: What is the Model Number of the Acoustic Sandwich Panel?

A2: The Model Number of the Acoustic Sandwich Panel is Acoustic Sandwich Panel.

Q3: Where is the place of origin of the Acoustic Sandwich Panel?

A3: The place of origin of the Acoustic Sandwich Panel is Hebei, China.

Q4: What certifications does the Acoustic Sandwich Panel have?

A4: The Acoustic Sandwich Panel has CE certification.

Q5: What is the minimum order quantity of the Acoustic Sandwich Panel?

A5: The minimum order quantity of the Acoustic Sandwich Panel is Discussible.



**Baodu International Advanced Construction Material Co., Ltd.**



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing