

125mm Fireproof Grade A Acoustic Sandwich Panel Moisture Resistance

Our Product Introduction

for more products please visit us on baodupanel.com


Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Acoustic Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day




Product Specification

- Durability: High
- Warranty: More Than 50 Years
- Keyword: Acoustic Sandwich Panel
- Thickness: 50mm 75mm 80mm 100mm 125mm 150mm 200mm
- Soundproof: Yes
- Surface: Prepainted
- OEM / ODM: Available
- Installation: Easy
- Highlight: **fireproof acoustic sandwich panel ,
125mm acoustic sandwich panel ,
fireproof soundproof sandwich panel**



More Images



Product Description

Fireproof Grade A Acoustic Sandwich Panel with Moisture Resistance

Product Description:

Acoustic Sandwich Panel is a sound absorbing panel manufactured specifically for acoustic applications. It is a kind of acoustic insulation material that is widely used in warehouses, buildings and other equipments to reduce noise and vibration. It is customized according to the customer's requirement and has a length of different sizes. It is made of two steel sheets with a thickness of 0.4-0.8mm and polyurethane foam filled in between them. The foam core of the panel provides excellent thermal and moisture resistance properties. It is an ideal solution for acoustic and thermal insulation of warehouses, buildings and other equipments. The acoustic sandwich panel offers excellent sound absorption performance and can effectively reduce noise and vibration.

Features:

1. Good Acoustic and thermal Insulation and energy saving material
2. Good Fire Resistance: Grade A
3. Special Connection Design: concealed connection
4. Graceful Finish: perforated
5. Advanced Machine: Customized machine
6. Raw Material: Only quality steel is selected.
7. Strict Quality Control:CE
8. Wide Usage: Used as roof and wall in workshop and warehouse

Technical Parameters:

| TESTING DATA OF BAODU ACOUSTICAL SANDWICH PANEL | | | | | | | | | | | |
|--|---------------|----------------------|--------------|---|----------------------|----------------------|----------------------------|-----------------------|------------------|----------------------------|-----------------------|
| No. | REPORT ID | TESTING ORGANIZATION | PRODUCT NAME | MATERIAL STRUCTURE (BOTTOM-TO-TOP) | TOTAL THICKNESS (MM) | METAL THICKNESS (MM) | ROCKWOOL / GLASS FIBER WOL | CEMENT THICKNESS (MM) | DAMPING ESS (MM) | SOUND ABSORBING DATA (NRC) | SOUND INSULATION (Db) |
| TESTING STANDARD: GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements; | | | | | | | | | | | |
| 1 | KS-2021-09101 | | | STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE | 100 | 0.6/0.5 | 120 | 10 | / | / | 38 |
| 2 | KS-2021-09102 | | | STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE | 100 | 0.6/0.5 | 120 | / | 3 | / | 37 |
| 3 | KS-2021-09103 | | | STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE | 100 | 0.5/0.5 | 120 | 10 | 3 | / | 39 |

| | | | | | | | | | | | | | |
|---|---------------|--|------------------|--|------------------|--|------|---------|----|----|----|------|--|
| 4 | KS-2021-09104 | ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE | SOUND INSULATION | STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +STEEL PLATE | 100 | 0.5/0.5 | 12/0 | 10 | 3 | / | 41 | | |
| 5 | KS-2021-09105 | | | STEEL PLATE +DAMPING+ROCKWOOL +DAMPING +STEEL PLATE | 100 | 0.5/0.5 | 12/0 | | 3 | / | | 37 | |
| 6 | KS-2021-09106 | | | STEEL PLATE +CEMENT+ROCKWOOL +DAMPING +STEEL PLATE | 100 | 0.5/0.5 | 12/0 | 4 | 3 | // | | 37 | |
| 7 | KS-2021-09107 | | | STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL+ DAMPING +STEEL PLATE | 100 | 0.5/0.5 | 12/0 | 4 | 2 | / | | 38 | |
| 8 | KS-2021-09108 | | | STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPING+STEEL PLATE | 100 | 0.5/0.5 | 12/0 | 4 | 2 | / | | 38 | |
| 9 | KS-2021-09109 | | | STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE | 100 | 0.5/0.5 | 12/0 | | | / | | 34 | |
| 10 | KS-2021-09110 | | | STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE | 50 | 0.5/0.5 | 12/0 | | | / | | 33 | |
| 11 | KS-2021-09111 | | | STEEL PLATE +ROCKWOOL +STEEL PLATE | 100 | 0.6/0.6 | 12/0 | | | / | | 35 | |
| TESTING STANDARD: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement | | | | | | | | | | | | | |
| 12 | KS-2021-09112 | | | ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE | SOUND ABSORPTION | PERFORATED ALU PLATE +GLASS FIBRE+GLASSWOOL +STEEL PLATE | 80 | 0.6/0.6 | 64 | | | 0.95 | |
| TESTING STANDARD: | | | | | | | | | | | | | |
| 1.: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement; | | | | | | | | | | | | | |
| 2. GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements; | | | | | | | | | | | | | |

Applications:

BAODU Acoustic Sandwich Panel is a kind of sound absorbing panel which is made of two layers of metal sheets and middle polyurethane core. It has excellent performance of thermal insulation and sound insulation, and can reach fireproof grade A. It is customizable in length, and can be pre-painted for a nice look. With reasonable price and our professional service, our Acoustic Sandwich Panel is surely your best choice.

It is widely used in many places such as office, restaurant, factory and gym, which requires sound insulation and heat insulation. It can provide you a quite and cozy environment. And above all, you can trust our Acoustic Sandwich Panel's quality, for our product is certified by CE and has passed strict quality tests. We have abundant supply ability, and delivery time is 15 days. We accept payment terms like L/C, D/A, D/P, T/T, Western Union, and MoneyGram. For steel structure, we use a steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use plastic packing, and if the clients need special packing, we will try our best to meet their requirements.

Choose BAODU Acoustic Sandwich Panel, enjoy a thermal insulation and sound insulation environment!

Support and Services:

Acoustic Sandwich Panel Technical Support and Service

At Acoustic Sandwich Panel, our mission is to provide our customers with top-quality technical support and service. Our team of experts is available 24/7 to answer your questions and help you get the most out of your Acoustic Sandwich Panel product.

We offer comprehensive technical support services for all Acoustic Sandwich Panel products, including installation and maintenance, troubleshooting and repair, and product customization. Our experienced technicians can provide you with step-by-step instructions and assistance to help you get the most out of your product.

We are also committed to providing our customers with the best possible customer service. Our knowledgeable customer service representatives are available to answer your questions and provide assistance with your product. We strive to provide the best possible customer experience, so you can be sure that we will do everything we can to ensure your satisfaction.

If you have any questions or need technical support, please don't hesitate to contact us. We look forward to helping you get the most out of your Acoustic Sandwich Panel product.

Packing and Shipping:

Packaging and Shipping for Acoustic Sandwich Panel



FAQ:

Q: What is Acoustic Sandwich Panel?

A: Acoustic Sandwich Panel is a kind of sandwich panel, which is composed of steel plate as surface material and rigid polyurethane foam as core material. It is widely used in acoustic applications such as soundproofing walls and floors.

Q: What is the Brand Name of Acoustic Sandwich Panel?

A: The Brand Name of the Acoustic Sandwich Panel is BAODU.

Q: What is the Model Number of Acoustic Sandwich Panel?

A: The Model Number of Acoustic Sandwich Panel is Acoustic Sandwich Panel.

Q: Where is the Place of Origin of Acoustic Sandwich Panel?

A: The Place of Origin of Acoustic Sandwich Panel is Hebei,China.

Q: What is the Certification of Acoustic Sandwich Panel?

A: The Certification of Acoustic Sandwich Panel is CE.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing