


Soundproofing Solutions Sound Absorbing Panel With Modern Design Style

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE
- Model Number: Acoustic Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.
- Delivery Time: 15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Moisture Resistance: Yes
- Warranty: More Than 50 Years
- Durability: High
- Soundproof: Yes
- Thickness: 50mm 75mm 80mm 100mm 125mm 150mm 200mm
- Function: Thermal Insulation And Sound Insulation
- Usage: Construction Insulation; Building And Other Equipments Thermal Insulation
- Keyword: Acoustic Sandwich Panel
- Highlight: **Modern Design Style Sound Absorbing Panel, Soundproofing Solutions Sound Absorbing Panel**

Product Description

Product Description:

The Acoustic Sandwich Panel is a sound absorbing panel that effectively reduces noise levels in any environment. Whether you need to create a quiet space in a busy office or reduce noise pollution in a residential area, these panels are a reliable solution. They are especially effective in large spaces, such as auditoriums, concert venues, and conference rooms. The Acoustic Sandwich Panel is also a sound insulation panel, which means it can help prevent sound from escaping a room or building. This is especially important for recording studios, movie theaters, and other spaces where sound quality is critical. These panels are designed to absorb sound waves and prevent them from bouncing off walls, ceilings, and floors, creating a more controlled acoustic environment.

The Acoustic Sandwich Panel is available for OEM and ODM, allowing for customized designs to fit any space. The minimum order quantity is 500 square meters, making it a cost-effective solution for large-scale projects. The modern design style of these panels ensures they will blend seamlessly into any space, providing both function and aesthetic appeal.

Features:

Product Name: Acoustic Sandwich Panel

Keyword: Acoustic Sandwich Panel

Length: Customized

Thickness:

50mm

75mm

80mm

100mm

125mm

150mm

200mm

Application: Warehouse, Building And Other Equipments Thermal

Warranty: More Than 50 Years

The Acoustic Sandwich Panel is a Sound Insulation Panel that is perfect for soundproofing warehouses, buildings, and other equipment thermal spaces. With customizable length and a thickness range of 50mm to 200mm, this panel provides the best acoustic insulation for any given space. Additionally, its warranty of more than 50 years ensures its durability and reliability.

Technical Parameters:

TESTING DATA OF BAODU ACOUSTICAL SANDWICH PANEL											
No.	REPORT ID	TESTING ORGANIZATION	PRODUCT NAME	MATERIAL STRUCTURE (BOTTOM-TO-TOP)	TOTAL THICKNESS (MM)	METAL THICKNES S (MM)	ROCKWOOL / GLASS FIBER (KG/m ³)	CEMENT THICKNE SS (MM)	DAMPING THICKN ESS (MM)	SOUND ABSORBING DATA (NRC)	SOUND INSULATION (Db)
TESTING STANDARD: GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;											
1	KS-2021-09101			STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	10	/	/	38
2	KS-2021-09102			STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	/	3	/	37

3	KS-2021-09103	ACOUSTICAL MEASURING& TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND INSULATION	STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	10	3	/	39
4	KS-2021-09104			STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	10	3	/	41
5	KS-2021-09105			STEEL PLATE +DAMPING+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	120	/	3	/	37
6	KS-2021-09106			STEEL PLATE +CEMENT+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	120	4	3	//	37
7	KS-2021-09107			STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL+ DAMPING +STEEL PLATE	100	0.5/0.5	120	4	2	/	38
8	KS-2021-09108			STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPIGN+STEEL PLATE	100	0.5/0.5	120	4	2	/	38
9	KS-2021-09109			STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE	100	0.5/0.5	120	/	/	/	34
10	KS-2021-09110			STAINLESS STEEL PLATE +ROCKWOO L+STAINLESS STEEL PLATE	50	0.5/0.5	120	/	/	/	33
11	KS-2021-09111			STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6	120	/	/	/	35
TESTING STANDARD: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement											
12	KS-2021-09112	ACOUSTICAL MEASURING& TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND ABSORPTION	PERFORATED ALU PLATE +GLASS FIBRE+GLASSWOOL +STEEL PLATE	80	0.6/0.6	54	/	/	0.95	/
TESTING STANDARD: 1.: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement; 2. GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;											

Applications:

The BAODU Acoustic Sandwich Panel is a high-quality sound insulation panel that is perfect for a wide range of applications and scenarios. This product is designed to provide excellent noise reduction properties, making it ideal for use in buildings where noise pollution is a concern.

The Acoustic Sandwich Panel is manufactured in Hebei, China and comes with CE certification. The minimum order quantity is discussible, and the price is reasonable. The product is packaged using steel frame packing for steel structures, and plastic packing is used for sandwich panels and color steel sheets. If clients require special packing, it can be arranged according to their requirements. The delivery time is 15 days, and payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram. The supply ability is 5000 square meters per day, and OEM/ODM services are available.

The Acoustic Sandwich Panel is perfect for a wide range of occasions and scenarios. It is ideal for use in buildings where sound insulation is required, such as recording studios, theaters, conference rooms, and cinemas. The product is also suitable for use in industrial settings where noise pollution is a concern, such as factories and workshops.

The BAODU Acoustic Sandwich Panel is heat-insulated, making it perfect for use in buildings that require temperature regulation. The installation process for the Acoustic Sandwich Panel is easy, and it can be installed quickly and efficiently. The product is also fireproof, with an A-grade fire rating, making it suitable for use in buildings where fire safety is a concern.

The surface of the Acoustic Sandwich Panel is preprimed, providing a smooth and attractive finish that is easy to clean and maintain.

The product is available in a range of colors and designs, making it easy to find a style that suits your needs. With its excellent sound insulation properties, ease of installation, and fireproof rating, the BAODU Acoustic Sandwich Panel is the perfect choice for a wide range of applications and scenarios.

Customization:

Customize your BAODU Acoustic Sandwich Panel with our product customization services. Our sound insulation panel is perfect for creating a quiet and peaceful environment. Our sound absorbing panel is designed to reduce noise and provide a comfortable space. Our Acoustic Sandwich Panel is made in Hebei, China with a density of 60-200kg/m³. It has a modern design style and is easy to install. It has certification from CE and the minimum order quantity is discussible. The price is reasonable and the packaging details are tailored to protect the product during shipment.

Delivery time is 15 days and we accept payment terms of L/C, D/A, D/P, T/T, Western Union, and MoneyGram. Our supply ability is 5000 square meters per day. OEM and ODM services are available to create a customized product to meet your specific needs.

The Acoustic Sandwich Panel has a dual function of thermal insulation and sound insulation. It is the perfect solution for creating a peaceful and comfortable environment.

Support and Services:

Our Acoustic Sandwich Panel product is designed to provide acoustic insulation and noise reduction in various applications, including industrial, commercial, and residential buildings. To ensure optimal performance, we offer technical support and services to our customers, which include:

Assistance with product selection and customization

Installation guidance and training

Maintenance and repair services

Performance testing and analysis

Warranty and post-warranty support

Our team of technical experts is committed to helping our customers achieve their acoustic insulation goals and ensuring their satisfaction with our product. Contact us for more information on our technical support and services.

Packing and Shipping:

Product Packaging:

The acoustic sandwich panels will be packed in sturdy cardboard boxes to ensure safe transportation.

The panels will be securely wrapped in bubble wrap to prevent any damage during transit.

The boxes will be labeled with product information and handling instructions for easy identification.

Shipping:

Shipping of the acoustic sandwich panels will be done through a trusted courier service.

The panels will be shipped to the address provided by the customer.

Delivery times may vary depending on the destination and shipping method chosen.

The customer will be provided with a tracking number to track their shipment.

FAQ:

Q1: What is the brand name of the acoustic sandwich panel?

A1: The brand name of the acoustic sandwich panel is BAODU.

Q2: Where is the acoustic sandwich panel manufactured?

A2: The acoustic sandwich panel is manufactured in Hebei, China.

Q3: What certifications does the acoustic sandwich panel have?

A3: The acoustic sandwich panel is CE certified.

Q4: What are the payment terms for purchasing the acoustic sandwich panel?

A4: The payment terms for purchasing the acoustic sandwich panel include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q5: What is the supply ability of the acoustic sandwich panel?

A5: The supply ability of the acoustic sandwich panel is 5000 square meters per day.



Baodu International Advanced Construction Material Co., Ltd.

+86 13717927965

chunlei.song@baodu.com

baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing