

Customized Length Acoustic Sandwich Panel With Fireproof Grade A

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Acoustic Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Durability: High
- MOQ: 500 Square Meters
- Design Style: Modern
- Usage: Construction Insulation;Building And Other Equipments Thermal Insulation
- OEM / ODM: Available
- Warranty: More Than 50 Years
- Surface: Prepainted
- Keyword: Acoustic Sandwich Panel
- Highlight: **Customized Length Acoustic Sandwich Panel, Fireproof Grade A Acoustic Sandwich Panel**



Product Description:

The Acoustic Sandwich Panel is ideal for applications where noise reduction is a priority. It is commonly used in warehouses, buildings, and other equipment thermal settings where noise levels can be high. The panel is designed to be easy to install, which makes it a popular choice for many different types of projects.

The Acoustic Sandwich Panel has a number of features that make it an effective soundproofing solution. The panel has a modern design style that is both functional and aesthetically pleasing. The prepainted surface of the panel is easy to clean and maintain, which makes it a popular choice for many different types of settings. The panel is also highly durable, which means that it can withstand the rigors of industrial and commercial use.

The Acoustic Sandwich Panel is a versatile product that can be used in a variety of applications. It is commonly used in warehouses, factories, and other industrial settings where noise levels can be high. The panel is also effective in reducing noise levels in commercial buildings, such as offices and retail spaces. In addition, the panel can be used in residential settings, such as homes and apartments, where noise reduction is a priority.

The Acoustic Sandwich Panel is an easy-to-install product that can be used in a variety of settings. The panel is designed to be installed quickly and easily, which makes it a popular choice for many different types of projects. Whether you are installing the panel in a commercial building or a residential setting, the Acoustic Sandwich Panel is a cost-effective and efficient solution for reducing noise levels.

Features:

- Product Name: Acoustic Sandwich Panel
- Material: Rockwool Glasswool
- Soundproof: Yes
- Density: 60-200kg/m3
- Length: Customized
- Color: RAL:Customized

Technical Parameters:

TESTING DATA OF BAODU ACOUSTICAL SANDWICH PANEL										
No.	REPORT ID	TESTING ORGANIZATION	PRODUCT NAME	MATERIAL STRUCTURE (BOTTOM-TO-TOP)	TOTAL THICKNESS (MM)	METAL THICKNESS (MM)	CEMENT THICKNESS (MM)	DAMPING THICKNESS (MM)	SOUND ABSORBING DATA (NRC)	SOUND INSULATION (Db)
TESTING STANDARD: GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;										
1	KS-2021-09101			STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE	100	0.6/0.5	12 0	10	/	38
2	KS-2021-09102			STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.6/0.5	12 0	3	/	37
3	KS-2021-09103			STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE	100	0.5/0.5	12 0	10	3	39

4	KS-2021-09104	ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND INSULATION	STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +STEEL PLATE	100	0.5/0.5	12 0	10	3		41		
5	KS-2021-09105			STEEL PLATE +DAMPING+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	12 0		3			37	
6	KS-2021-09106			STEEL PLATE +CEMENT+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	12 0	4	3			37	
7	KS-2021-09107			STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL+ DAMPING +STEEL PLATE	100	0.5/0.5	12 0	4	2			38	
8	KS-2021-09108			STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPING+STEEL PLATE	100	0.5/0.5	12 0	4	2			38	
9	KS-2021-09109			STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE	100	0.5/0.5	12 0					34	
10	KS-2021-09110			STAINLESS STEEL PLATE +ROCKWOOL L+STAINLESS STEEL PLATE	50	0.5/0.5	12 0					33	
11	KS-2021-09111			STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6	12 0					35	
TESTING STANDARD: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement													
12	KS-2021-09112			ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND ABSORPTION	PERFORATED ALU PLATE +GLASS FIBRE+GLASSWOOL +STEEL PLATE	80	0.6/0.6	64			0.95	
TESTING STANDARD:													
1.: GB/T20247-2006/iso 354:2003 Acoustics reverberation room sound absorption measurement;													
2. GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;													

Applications:

Manufactured in Hebei, China, this panel meets all the highest standards of quality and reliability. It is certified by CE, ensuring that it meets all the necessary safety and performance requirements. With a minimum order quantity that is discussible, you can order just the right amount for your project, without worrying about over-ordering or under-ordering.

At a reasonable price, the Acoustic Sandwich Panel is an affordable option for anyone looking to improve their sound insulation or thermal insulation. With a supply ability of 5000 square meters per day, you can get the panels you need quickly and efficiently. And with a delivery time of just 15 days, you won't have to wait long to start enjoying the benefits of improved soundproofing.

The Acoustic Sandwich Panel is highly versatile and can be used in a variety of different scenarios. It is ideal for use in commercial spaces such as offices, restaurants, and retail stores, where noise levels can often be high. It is also well-suited for use in residential settings, where it can help to create a more peaceful and comfortable living environment. And for those in the music industry, the Acoustic Sandwich Panel is an excellent choice for recording studios, where it can help to create a more acoustically sound space.

The Acoustic Sandwich Panel is customizable in length, allowing you to order just the right size for your needs. It has a density of 60-200kg/m³, ensuring that it provides excellent sound insulation. And with a warranty of more than 50 years, you can be confident that your investment will last for many years to come.

When it comes to packaging, BAODU takes great care to ensure that your panels arrive undamaged. For steel structures, they use steel frame packing to keep goods from being broken. For sandwich panels and color steel sheets, they use plastic packing. And if you have special packing requirements, they will work with you to ensure that your panels arrive in the condition you need them to be in. So if you're looking for a high-quality sound-absorbing panel that is reliable, affordable, and versatile, look no further than the BAODU Acoustic Sandwich Panel. With its excellent performance, customizable length, and long warranty, it is the perfect choice for anyone looking to improve their sound insulation and thermal insulation.

Customization:

Brand Name: BAODU

Model Number: Acoustic Sandwich Panel

Place of Origin: Hebei, China

Certification: CE

Minimum Order Quantity: Discussible

Price: Reasonable

Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.

Delivery Time: 15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 5000 Square Meters per Day

MOQ: 500 Square Meters

Thickness: 50mm 75mm 80mm 100mm 125mm 150mm 200mm

Soundproof: Yes

Material: Rockwool Glasswool

Color: RAL; Customized

The Acoustic Sandwich Panel is a sound insulation panel that is customizable based on your specific needs. It is manufactured by BAODU, a trusted brand in construction materials. The panel is available in various thicknesses ranging from 50mm to 200mm and is made of either rockwool or glasswool material. It is certified by CE and has a reasonable price. The minimum order quantity is discussible and the packaging is done in accordance with the client's requirements. The delivery time is 15 days and payment can be made through L/C, D/A, D/P, T/T, Western Union, or MoneyGram. The panel is available in RAL colors or can be customized to suit your needs. With a soundproof design, the Acoustic Sandwich Panel is the perfect solution for all your sound insulation needs.

Support and Services:

The Acoustic Sandwich Panel is a sound-absorbing product designed to improve acoustics in a variety of applications, including recording studios, theaters, conference rooms, and more. Our technical support and services for this product include:

[Expert consultation on panel selection and installation](#)

[Custom panel sizing and design](#)

[Acoustic testing and analysis](#)

[Technical documentation and product specifications](#)

[Product training and education](#)

Our team of experienced professionals is dedicated to providing the highest level of support and service for the Acoustic Sandwich Panel product. Contact us today to learn more about how our technical support and services can help you achieve optimal acoustic performance.

Packing and Shipping:

Product Packaging:

The Acoustic Sandwich Panel product will be securely packaged in a cardboard box to prevent any damage during shipping. Each box will contain a set of 10 panels, with dimensions of 24 inches by 24 inches and a thickness of 2 inches.

Shipping:

Shipping will be handled by our trusted shipping partners and delivery times will vary depending on the destination. Estimated delivery times will be provided to the customer upon checkout. Please ensure that the shipping address provided is accurate and complete to avoid any delays or additional charges.

FAQ:

Here are some frequently asked questions and answers about BAODU Acoustic Sandwich Panel:

Q: What is BAODU Acoustic Sandwich Panel?

A: BAODU Acoustic Sandwich Panel is a type of panel made up of two layers of steel sheets and a layer of insulation material in between, designed to reduce noise and provide thermal insulation.

Q: Where is BAODU Acoustic Sandwich Panel produced?

A: BAODU Acoustic Sandwich Panel is produced in Hebei, China.

Q: Does BAODU Acoustic Sandwich Panel meet any certification standards?

A: Yes, BAODU Acoustic Sandwich Panel is CE certified, ensuring it meets health, safety, and environmental protection standards for products sold within the European Economic Area.

Q: What is the minimum order quantity for BAODU Acoustic Sandwich Panel?

A: The minimum order quantity for BAODU Acoustic Sandwich Panel is discussible, meaning it can be negotiated based on your specific needs and project requirements.

Q: How is BAODU Acoustic Sandwich Panel packaged?

A: In general, for steel structure, we use steel frame packing to keep the goods from being broken. For sandwich panel and color steel sheet, we use plastic packing. If clients need special packing, we will pack according to their requirements.

Q: How long does it take to deliver BAODU Acoustic Sandwich Panel?

A: Delivery time for BAODU Acoustic Sandwich Panel is 15 days from the date of order confirmation.

Q: What are the payment terms for BAODU Acoustic Sandwich Panel?

A: BAODU Acoustic Sandwich Panel accepts various payment terms, including L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the supply ability for BAODU Acoustic Sandwich Panel?

A: The supply ability for BAODU Acoustic Sandwich Panel is 5,000 square meters per day, ensuring efficient and timely delivery for your project needs.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing