


## Heavy Duty Fire Resistant Cut To Length Steel I Beams For Sale Construction

Our Product Introduction

for more products please visit us on [baodupanel.com](http://baodupanel.com)

### Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Model Number: Steel Beam
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: GB standard steel i beam 1. It can pack by container or bulk vessel. 2. 20ft container can load 25 tons, 40ft container can load 26 tons. 3. Standard export seaworthy package, it use wire rod with bundle according product's size. 4. We can make it as your re
- Delivery Time: 21days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Ton/Tons per Month 15000T/per season, steel i beam



### Product Specification

- Fire Resistance: Yes
- Processing Service: Punching, Cutting, Welding
- Material: Steel
- Size: 100mm\*68mm-900mm\*300mm
- Keyword: STEEL BEAM
- Stock: All Size Available
- Load Capacity: Heavy
- Marking: Follow Customer's Requirement
- Highlight: **Fire Resistant Steel metal i beam, Heavy Duty Steel metal i beam, Construction Steel metal i beam**

## Product Description

### Heavy Duty Fire Resistant I Beam Steel / Steel Beam Cut To Length For Construction

#### Product Description:

Our H beam is made with high-quality stainless steel, ensuring that it can withstand heavy loads and provide exceptional support for your construction needs. With a load capacity of heavy, you can trust that this product will be able to handle even the toughest jobs.

Whether you're building a new structure or reinforcing an existing one, our stainless steel H beam is the perfect choice. Its versatile application in construction makes it a must-have for any contractor or builder.

Our H beam comes in a range of sizes to fit your specific needs, from 100mm\*68mm to 900mm\*300mm. And with a variety of surface finishes available, including oiled, sandblasting, galvanizing, painting, and more, you can customize your beam to meet your exact specifications.

As a beam shape, the H beam is ideal for providing support and stability in construction projects. Its unique design allows it to distribute weight evenly, making it the perfect choice for load-bearing structures.

So if you're looking for a high-quality, reliable steel beam for your construction projects, look no further than our stainless steel H beam. With its heavy load capacity, versatile application, and customizable options, it's the ideal choice for any contractor or builder.

Order now and experience the durability and strength of our stainless steel H beam for yourself. It's the perfect choice for any construction project that requires a sturdy and reliable support structure.

#### Features:

Product Name: Steel Beam

Technical: Hot Rolled

Keyword: STEEL BEAM

Size: 100mm\*68mm-900mm\*300mm

Stock: All Size Available


Material: Steel

Keywords: Stainless Steel H-Beam, Hot-Rolled Iron-Carbon Steel H-Beams, Stainless Steel H Beam



#### Technical Parameters:

## H BEAM (GB/JIS)



Sizes:100mm to 900mm

Dimensional specifications:  
JIS G3192,GB/T11263,EN10034,ASTM

Material Specifications:  
JIS SS400,GB Q235B/Q355B,EN S235,S355

Nominal Size (mm)	H×B (mm)	T1 (mm)	T2 (mm)	JIS Weight (kg/m)	GB Weight (kg/m)	Available Length
100×100	100×100	6.0	8.0	16.9	17.2	6-12m
120×120	125×125	6.5	9.0	23.6	23.8	6-12m
150×75	150×75	5.0	7.0	14.0	14.3	6-12m
150×100	148×100	6.0	9.0	20.7	21.4	6-12m
150×150	150×150	7.0	10.0	31.1	31.9	6-12m
175×90	175×90	5.0	8.0	18.0	18.2	6-12m
175×175	175×175	7.5	11.0	40.4	40.3	6-12m
194×150	194×150	6.0	9.0	29.9	31.2	6-12m
200×100	198×99	4.5	7.0	17.8	18.5	6-12m
200×200	200×100	5.5	8.0	20.9	21.7	6-12m
200×200	200×200	8.0	12.0	49.9	50.5	6-12m
200×200	200×204	12.0	12.0	56.2	56.7	6-12m
250×125	248×124	5.0	8.0	25.1	25.8	6-12m
250×125	250×125	6.0	9.0	29.0	29.7	6-12m
250×175	244×175	7.0	11.0	43.6	44.1	6-12m
250×250	250×250	9.0	14.0	71.8	72.4	6-12m
250×250	250×255	14.0	14.0	81.6	82.2	6-12m
298×149	298×149	5.5	8.0	32.0	32.6	6-12m
300×150	300×150	6.5	9.0	36.7	37.3	6-12m
294×200	294×200	8.0	12.0	55.8	57.3	6-12m
300×200	298×201	9.0	14.0	64.4	65.9	6-12m
300×300	300×300	10.0	15.0	93.0	94.5	6-12m
300×300	294×302	12.0	12.0	83.4	85.0	6-12m
300×300	300×305	15.0	15.0	105.0	106.0	6-12m
350×175	346×174	6.0	9.0	41.2	41.8	6-12m
350×175	350×175	7.0	11.0	49.4	50.0	6-12m
350×250	340×250	9.0	14.0	78.1	79.7	6-12m
350×350	344×348	10.0	16.0	113.0	115.0	6-12m
350×350	350×350	12.0	19.0	135.0	137.0	6-12m
400×200	396×199	7.0	11.0	56.1	56.7	6-12m
400×200	400×200	8.0	13.0	65.4	66.0	6-12m
400×300	390×300	10.0	16.0	105.0	107.0	6-12m
400×300	388×402	15.0	15.0	140.0	141.0	6-12m
400×300	394×398	11.0	18.0	147.0	147.0	6-12m
400×400	400×400	13.0	21.0	172.0	172.0	6-12m
400×400	400×408	21.0	21.0	197.0	197.0	6-12m
400×400	414×405	18.0	28.0	232.0	233.0	6-12m
400×400	428×407	20.0	35.0	283.0	284.0	6-12m
446×199	446×199	8.0	12.0	65.1	66.7	6-12m
450×200	450×200	9.0	14.0	74.9	76.5	6-12m
450×300	440×300	11.0	18.0	121.0	124.0	6-12m
450×300	450×199	9.0	14.0	77.9	79.5	6-12m
500×200	500×200	10.0	16.0	88.2	89.6	6-12m
500×200	506×201	11.0	19.0	102.0	103.0	6-12m
500×300	482×300	11.0	15.0	111.0	115.0	6-12m
500×300	488×300	11.0	18.0	125.0	129.0	6-12m
600×200	600×200	11.0	17.0	103.0	106.0	6-12m
600×200	596×199	10.0	15.0	92.5	95.1	6-12m
600×200	606×201	12.0	20.0	118.0	120.0	6-12m
600×300	582×300	12.0	17.0	133.0	137.0	6-12m
600×300	588×300	12.0	20.0	147.0	151.0	6-12m
600×300	594×302	14.0	23.0	170.0	175.0	6-12m
700×300	692×300	13.0	20.0	163.0	166.0	6-12m
700×300	700×300	13.0	24.0	182.0	185.0	6-12m
800×300	800×300	14.0	26.0	207.0	210.0	6-12m
800×300	808×302	16.0	30.0	241.0		6-12m
900×300	890×299	15.0	23.0	210.0	213.0	6-12m
900×300	900×300	16.0	28.0	240.0	243.0	6-12m
900×300	912×302	18.0	34.0	283.0	286.0	6-12m

## Applications:

The Steel Beam is widely used in various construction projects, including but not limited to buildings, bridges, and tunnels. It is designed to carry heavy loads and provide support to the structure. The Steel Beam can be used in both residential and commercial construction projects, making it a versatile product.

The Steel Beam is a hot-rolled product that has high strength and load capacity. This makes it an ideal choice for projects that require a sturdy and reliable support system. The Steel Beam is also known for its durability, which makes it a cost-effective choice in the long run. BAODU Steel Beam comes with a standard export seaworthy package, which uses wire rod with a bundle according to the product's size. The packaging can be customized to meet the client's requirements. The product can be delivered within 21 days, and the payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

The Steel Beam is a product that is in high demand, and BAODU can supply up to 50000 Ton/Tons per month, with 15000T/per season. The Steel Beam is available in all sizes, and the stock is readily available. The technical specifications of the Steel Beam include high strength Q235 Q345 carbon steel, and it is a hot-rolled product.

The Steel Beam is ideal for a wide range of applications, including but not limited to:

[Building construction](#)

[Bridges](#)

[Tunnels](#)

[Roof support systems](#)

[Industrial structures](#)

Whether you are looking for a reliable support system for your residential or commercial construction project, the BAODU Steel Beam is an ideal choice. The high strength Q235 Q345 carbon steel ensures that the product can carry heavy loads, and the hot-rolled product is durable and reliable. Contact us today to discuss your requirements and place an order.

## Customization:

We offer custom product customization services to meet your specific needs, including punching, cutting, and welding. Our Steel Beams come in a variety of sizes, ranging from 100mm\*68mm to 900mm\*300mm, to ensure that you can find the perfect fit for your project.

Our Steel Beams are available for purchase with a discussible minimum order quantity and reasonable pricing, and our packaging details adhere to GB standards. We offer a variety of payment terms, including L/C, D/A, D/P, T/T, Western Union, and MoneyGram, and our supply ability is 50000 Ton/Tons per month, with 15000T/per season, steel i beam. Our delivery time is 21 days, and we can make packaging adjustments to meet your specific requirements.

## Support and Services:

Our Steel Beam product technical support team is available to answer any questions you may have about the product's specifications, installation, maintenance, and applications. We also offer a range of services to assist with the installation and maintenance of the Steel Beam product, including:

[On-site consultation and assessment](#)

[Customized design and engineering services](#)

Installation supervision and training  
Inspection and maintenance services  
Technical documentation and support

Contact us today to learn more about our Steel Beam product technical support and services.

### Packing and Shipping:

Packing	1. Water-proof plastic cloth,
	2. Woven bags,
	3. PVC package,
	4. Steel strips in bundles
	5. As your requirement
Delivery Time	1. Usually, within 10-20 days after receiving deposit or LC.
	2. According to the order quantity

### FAQ:

**Q: What is the brand name of this product?**

A: The brand name of this product is BAODU.

**Q: What is the model number of this product?**

A: The model number of this product is Steel Beam.

**Q: Where is this product manufactured?**

A: This product is manufactured in Hebei, China.

**Q: What is the minimum order quantity for this product?**

A: The minimum order quantity for this product is discussible.

**Q: What are the payment terms for this product?**

A: The payment terms for this product include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

**Q: What is the price of this product?**

A: The price of this product is reasonable.

**Q: What are the packaging details for this product?**

A: The packaging details for this product include: 1. It can be packed by container or bulk vessel. 2. 20ft container can load 25 tons, 40ft container can load 26 tons. 3. Standard export seaworthy package, it uses wire rod with bundle according to the product's size. 4. We can make it as per your requirement.

**Q: What is the delivery time for this product?**

A: The delivery time for this product is 21 days.

**Q: What is the supply ability of this product?**

A: The supply ability of this product is 50000 Ton/Tons per month or 15000T/per season for steel i beam.



**Baodu International Advanced Construction Material Co., Ltd.**



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing