

Galvanized Building Load Capacity Structural Steel Beam Fabricators

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Model Number: Steel Beam
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: GB standard steel i beam 1. It can pack by container or bulk vessel. 2. 20ft container can load 25 tons, 40ft container can load 26 tons. 3.Standard export seaworthy package, it use wire rod with bundle according product's size. 4.We can make it as your re
- Delivery Time: 21days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Ton/Tons per Month 15000T/per season,steel i beam



Product Specification

- Product Name: Galvanized Building Load Capacity Structural Steel Beam Structural Steel Fabricators
- Length: 1--12m Or As Request
- Stock: All Size Available
- Alloy Or Not: Non-Alloy
- Size: 100mm*68mm-900mm*300mm
- Technical: Hot Rolled
- Keyword: STEEL BEAM
- Strength: High
- Highlight: **Galvanized structural steel beam ,
Building structural steel beam ,
Building structural steel fabricators**

Galvanized Building Load Capacity Structural Steel Beam Structural Steel Fabricators

Product Description:


One of the main features of our Steel Beam is its length, which can be customized according to your requirements, ranging from 1-12 meters. This makes it easier to fit into your construction project, regardless of its size or complexity. Another important feature of our Steel Beam is its exceptional strength. Made from high-strength carbon steel or stainless steel I-beam, this product is built to last and can withstand heavy loads and extreme weather conditions. In addition to its strength, our Steel Beam is also fire-resistant, making it a safe and reliable choice for your construction project. This feature is especially important for buildings and other structures that need to meet strict safety standards. Our Steel Beam is available in a variety of surface finishes, including oiled, sandblasting, galvanizing, and painting. This means that you can choose the finish that best suits your project's needs and aesthetic preferences. Overall, our Steel Beam is an excellent choice for anyone looking for a high-strength, versatile, and fire-resistant structural steel product. With its customizable length and a range of surface finishes to choose from, it's the perfect solution for any construction project.

Features:

size	100mm*68mm-900mm*300mm
Length	1--12m or as request
Standard	ISO 9001-2008 / ISO 630 / JIS / ASTMISO 9001-2008 / ISO 630 / JIS / ASTM / BS1387-1985/ GB/T3091-2001,GB/T13793-92, ISO630/E235B/ JIS G3101/JIS G3131/JIS G3106/
Material	Q195,Q215,Q235B,Q345B, S235JR/S235/S355JR/S355, SS440/SM400A/SM400B
Technique	Hot Rolled, casting
Surface	Oiled, sand blasting, galvanizing, painting,cutting as your request.

Technical Parameters:

H BEAM (GB/JIS)



Sizes: 100mm to 900mm

Dimensional specifications:
JIS G3192, GB/T 11263, EN 10034, ASTM

Material Specifications:
JIS S355, GB Q235B/Q355B, EN S235, S355

Nominal Size (mm)	H×B (mm)	T1 (mm)	T2 (mm)	JIS Weight (kg/m)	GB Weight (kg/m)	Available Length
100×100	100×100	6.0	8.0	16.9	17.2	6-12m
120×120	125×125	6.5	9.0	23.6	23.8	6-12m
150×75	150×75	5.0	7.0	14.0	14.3	6-12m
150×100	148×100	6.0	9.0	20.7	21.4	6-12m
150×150	150×150	7.0	10.0	31.1	31.9	6-12m
175×90	175×90	5.0	8.0	18.0	18.2	6-12m
175×175	175×175	7.5	11.0	40.4	40.3	6-12m
194×150	194×150	6.0	9.0	29.9	31.2	6-12m
200×100	198×99	4.5	7.0	17.8	18.5	6-12m
	200×100	5.5	8.0	20.9	21.7	6-12m
200×200	200×200	8.0	12.0	49.9	50.5	6-12m
	200×204	12.0	12.0	56.2	56.7	6-12m
250×125	248×124	5.0	8.0	25.1	25.8	6-12m
	250×125	6.0	9.0	29.0	29.7	6-12m
250×175	244×175	7.0	11.0	43.6	44.1	6-12m
	250×250	9.0	14.0	71.8	72.4	6-12m
250×250	250×255	14.0	14.0	81.6	82.2	6-12m
298×149	298×149	5.5	8.0	32.0	32.6	6-12m
300×150	300×150	6.5	9.0	36.7	37.3	6-12m
294×200	294×200	8.0	12.0	55.8	57.3	6-12m
300×200	298×201	9.0	14.0	64.4	65.9	6-12m
	300×300	10.0	15.0	93.0	94.5	6-12m
300×300	294×302	12.0	12.0	83.4	85.0	6-12m
	300×305	15.0	15.0	105.0	106.0	6-12m
350×175	346×174	6.0	9.0	41.2	41.8	6-12m
	350×175	7.0	11.0	49.4	50.0	6-12m
350×250	340×250	9.0	14.0	78.1	79.7	6-12m
350×350	344×348	10.0	16.0	113.0	115.0	6-12m
	350×350	12.0	19.0	135.0	137.0	6-12m
400×200	396×199	7.0	11.0	56.1	56.7	6-12m
	400×200	8.0	13.0	65.4	66.0	6-12m
400×300	390×300	10.0	16.0	105.0	107.0	6-12m
	388×402	13.0	15.0	140.0	141.0	6-12m
	394×398	11.0	18.0	147.0	147.0	6-12m
	400×400	13.0	21.0	172.0	172.0	6-12m
	400×408	21.0	21.0	197.0	197.0	6-12m
	414×405	18.0	28.0	232.0	233.0	6-12m
	428×407	20.0	35.0	283.0	284.0	6-12m
450×200	446×199	8.0	12.0	65.1	66.7	6-12m
	450×200	9.0	14.0	74.9	76.5	6-12m
450×300	440×300	11.0	18.0	121.0	124.0	6-12m
	450×199	9.0	14.0	77.9	79.5	6-12m
500×200	500×200	10.0	16.0	88.2	89.6	6-12m
	506×201	11.0	19.0	102.0	103.0	6-12m
500×300	482×300	11.0	15.0	111.0	115.0	6-12m
	488×300	11.0	18.0	125.0	129.0	6-12m
	600×200	11.0	17.0	103.0	106.0	6-12m
600×200	596×199	10.0	15.0	92.5	95.1	6-12m
	606×201	12.0	20.0	118.0	120.0	6-12m
	582×300	12.0	17.0	133.0	137.0	6-12m
600×300	588×300	12.0	20.0	147.0	151.0	6-12m
	584×302	14.0	23.0	170.0	175.0	6-12m
	692×300	13.0	20.0	163.0	166.0	6-12m
700×300	700×300	13.0	24.0	182.0	185.0	6-12m
	800×300	14.0	26.0	207.0	210.0	6-12m
800×300	808×302	16.0	30.0	241.0		6-12m
	890×299	15.0	23.0	210.0	213.0	6-12m
	900×300	16.0	28.0	240.0	243.0	6-12m
	912×302	18.0	34.0	283.0	286.0	6-12m

Keywords: stainless steel h beam, galvanized steel beam

Applications:

Structural support: H-shaped steel beams are often used in building structures as the main load-bearing components of beams or columns to support and transmit loads on floors and roofs.

Bridge construction: H-shaped steel beams are widely used in bridge structures and are used as the main load-bearing components of bridges to support the bridge deck and bear vehicle loads.

Machinery manufacturing: H-shaped steel beams are also often used in the manufacturing of mechanical equipment as structural support components for machine tools, lifting equipment, conveying equipment, etc.

Ship construction: In the field of ship construction, H-shaped steel beams are usually used in ship hull structures, which can provide good load-bearing capacity and rigidity.

Steel structure buildings: In steel structure buildings such as industrial plants and storage facilities, H-shaped steel beams are widely used in the manufacturing and installation of components.

The Steel Beam is a non-alloy product that is made of steel. It has a load capacity of heavy and is suitable for use in steel structures. The installation method for this product is welding. It is important to follow the customer's requirement when marking the product.

The Steel Beam can be used in different application occasions and scenarios. It is suitable for use in the construction of residential buildings, such as houses and apartments. It is also ideal for use in commercial buildings, such as offices, malls, and hotels. In addition, the Steel Beam can be used in industrial buildings, such as factories and warehouses. This product is also suitable for use as a beam for steel structure, making it an essential product in the construction industry.

Support and Services:

Our Steel Beam product comes with comprehensive technical support and services to ensure efficient installation and optimal use. Our team of experts is available to provide assistance with any questions or concerns regarding product specifications, installation guidelines, and maintenance requirements. Additionally, we offer on-site support and training to help customers achieve the best possible results from our Steel Beam product.

Packing and Shipping:

Product Packaging:

Our steel beams are carefully packaged to ensure safe delivery. Each beam is wrapped in protective material to prevent scratches and other damages during transport. The beams are then placed on sturdy wooden pallets and secured with metal straps to prevent movement during transit. Finally, the pallets are covered with plastic wrap to protect against moisture and other potential hazards.

Shipping:

We offer both domestic and international shipping options. For international shipping, we work with various freight forwarding companies to ensure efficient and reliable delivery. Shipping costs will vary based on the destination and weight of the order. Please contact us for a shipping quote.

FAQ:

Q: What is the brand name of the steel beam product?

A: The brand name of the steel beam product is BAODU.

Q: Where is the steel beam product manufactured?

A: The steel beam product is manufactured in Hebei, China.

Q: What is the minimum order quantity for the steel beam product?

A: The minimum order quantity for the steel beam product is discussible.

Q: What is the packaging details for the steel beam product?

A: The packaging details for the steel beam product is as follows: GB standard steel i beam 1. It can pack by container or bulk vessel. 2. 20ft container can load 25 tons, 40ft container can load 26 tons. 3.Standard export seaworthy package, it use wire rod with bundle according product's size. 4.We can make it as your requirement.

Q: What is the delivery time for the steel beam product?

A: The delivery time for the steel beam product is 21 days.

Q: What are the payment terms for the steel beam product?

A: The payment terms for the steel beam product are L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the supply ability for the steel beam product?

A: The supply ability for the steel beam product is 50000 Ton/Tons per Month or 15000T/per season, steel i beam.

Q: What is the model number of the steel beam product?

A: The model number of the steel beam product is Steel Beam.

Q: What is the price of the steel beam product?

A: The price of the steel beam product is reasonable.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing