

Manufacturer U Shaped Galvanized Channel Steel For Building Materials

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE, ISO, SGS
- Model Number: Steel Channel
- Minimum Order Quantity: 1 Ton
- Price: Reasonable
- Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.
- Delivery Time: 15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 40000 Ton/Tons per Month



Product Specification

- Raw Material: Stainless Steel SS304 / SS316 Mill / Mild / Plain Steel
- Processing Service: Bending, Welding, Punching, Decoiling, Cutting
- Length: 3 Metres, 5.8 Meter, 6 Meter Or As Requirement
- Alloy Or Not: Non-Alloy
- Thickness: 1.5mm-25mm
- Type: Not Perforated
- Payment Term: 30% TT Advance + 70% Balance
- Finishes: Hot Dip Galvanized / Pre-galvanized / Electro-polish
- Highlight: **Galvanized u channel steel,**
Building Materials u channel steel,

Product Description

Manufacturer Steel Channel U Shaped Galvanized Channel Steel for building materials

Product Description:

Our u channel steel is available in a range of standard sizes, including 3 metres, 5.8 metres, and 6 metres. If you have specific length requirements, we can also provide custom lengths as needed.

When you choose our u channel steel, you can expect high-quality materials and exceptional durability. Our products are made with thicknesses ranging from 1.5mm to 25mm, ensuring that you get the exact level of strength and support that you need for your project.

In addition to its strength and durability, our u channel steel is also incredibly versatile. Whether you're working on a construction project, an engineering application, or a manufacturing process, you can trust our steel channel to provide the support and stability you need to get the job done right.

When it comes to payment, we offer flexible terms that are designed to meet your needs. Our standard payment term is 30% TT advance + 70% balance, but we're always happy to work with you to find a payment schedule that suits your budget and timeline.

If you're looking for a reliable, high-quality supplier of u channel steel, look no further than our steel channel product. With its exceptional strength, durability, and versatility, our u channel steel is the perfect choice for a wide range of applications.

Choose our steel channel product for:

Standard sizes u channel steel


Flexible length options (3 metres, 5.8 metres, 6 metres, or as required)

Thicknesses ranging from 1.5mm to 25mm

Applications in construction, engineering, and manufacturing

Non-perforated type for added strength and stability

Flexible payment terms to meet your budget and timeline



Features:

Product Name	Steel Channel
Technical Standard	GB, ASTM, BS
Steel Grade	SGCC/SGCD/SGCE/DX51D/DX52D/S250GD/S280GD/S350GD/G550/SPCC Q195 Q195L Q235 Q235B Q345B ,ASTM A36 , Duplex or 201/202/304/316 etc.
Shape Types	C channel,U channel or customized
Application	Building structures, curtain wall engineering, mechanical equipment,vehicle manufacturing
Material	Hot rolled or cold rolled, or welded
Surface treatment	Galvanized,Polishing, Painting or according to clients requirements
Thickness	0-25 mm or customized
Side Size	Variable
OEM	OEM available ,follow customer requirements
Packing	Bundle, or with all kinds of colors PVC or as your requirements
Lead Time	within 15-30 days after received deposit or irrevocable L/C at sight
Sample	Free sample available
Shipment	By 20GP,40GP,40HQ container or bulk vessel
Payment Term	T/T or L/C at sight

This Steel Channel product is a type of channel steel purlin that can be used in construction, engineering, and manufacturing. It is a non-alloy steel channel profile that is not perforated. The finishes available for this product include hot dip galvanized, pre-galvanized, and electro-polish. The length options for this steel channel include 3 metres, 5.8 metres, 6 metres, or as required.

Technical Parameters:

Standard Sectional Dimension (mm)	Web thickness (mm)	Flange thickness(mm)	Weight (kg/m)
50*25	3.00~5.00	6	2.37~3.46
75*40	3.8	7	5.3
75*40	4	7	5.6
75*40	4.5	7	5.85
75*40	5	7	6.92
100*50	3.8	6	7.3
100*50	4.2	6	8.03
100*50	4.5	7.5	8.97
100*50	5	7.5	9.36
125*65	5.2	6.8	11.66
125*65	5.3	6.8	12.17
125*65	5.5	8	12.91
125*65	6	8	13.4
150*75	5.5	7.3	14.66
150*75	5.7	10	16.71
150*75	6	10	17.9
150*75	6.5	10	18.6
200*80	7.5	11	24.6
250*90	9	13	34.6
300*90	9	13	38.1

Applications:



Customization:

The minimum order quantity for Steel Channel is 1 ton, and its price is reasonable. The packaging details may vary depending on the product type. For steel structure, we use steel frame packing to keep the goods from breaking. For sandwich panels and color steel

sheets, we use plastic packaging. We can provide special packaging according to the clients' requirements.

The delivery time for Steel Channel is 15 days, and we accept various payment terms such as L/C, D/A, D/P, T/T, Western Union, and MoneyGram. The supply ability for Steel Channel is 40000 Ton/Tons per month.

Steel Channel comes in different finishes such as Hot Dip Galvanized, Pre-galvanized, and Electro-polish. It is available in different lengths such as 3 meters, 5.8 meters, and 6 meters, or as per the clients' requirements. The thickness ranges from 1.5mm to 25mm. Steel Channel is a non-alloy product.

Our payment term for Steel Channel is 30%TT Advance + 70% Balance. Contact us for your customization needs for Steel Channel.

Support and Services:

- Expert assistance in selecting the appropriate size and thickness for your project needs
- Guidance on installation and maintenance to ensure optimal performance and longevity of the product
- Access to comprehensive product specifications and documentation
- Troubleshooting and problem-solving support for any issues that may arise during the use of the product

Packing and Shipping:



FAQ:

Q1: What is the brand name of the steel channel?

A1: The brand name of the steel channel is BAODU.

Q2: Where is the steel channel manufactured?

A2: The steel channel is manufactured in Hebei, China.

Q3: What certifications does the steel channel have?

A3: The steel channel has CE, ISO, and SGS certifications.

Q4: What is the minimum order quantity for the steel channel?

A4: The minimum order quantity for the steel channel is 1 ton.

Q5: What is the delivery time for the steel channel?

A5: The delivery time for the steel channel is 15 days.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing